



PRODUCT HIGHLIGHTS

Enhanced Material Discrimination

High Image Resolution with 24-Bit Color

Real-Time Diagnostics

Picture Perfect Image Analysis

Windows Operating System with Intel[®] Core[™] Processor

The XIS-1080[™] is a mid-size X-Ray Inspection System (XIS) with a heavy conveyor belt capable of supporting up to 200 kg (440 lbs.). Designed for screening luggage and oversized baggage at airports and transport facilities, it is equipped with a powerful generator that provides crisp, high-resolution images that makes it easy to perform detailed inspections of dense, tightly-packed baggage and cargo.

Combined with Astrophysics' best-in-class software, the XIS-1080 allows operators to identify materials, recognize objects, and isolate threats with greater speed and accuracy. Its superior image quality, advanced software, and high throughput make the XIS-1080 an ideal solution for high-volume checkpoints that require powerful protection from weapons, explosives, and contraband.

The Astrophysics XIS-1080 is designed and assembled in the United States to the highest quality standards. For nearly twenty years, Astrophysics has led the industry in research and development, creating integrated solutions to advance the critical security missions of our customers and partners.

TOMORROW'S TECHNOLOGY FOR TODAY'S SECURITY™

GENERAL SPECIFICATIONS

Tunnel Size: 100 cm x 80 cm 39.4" x 31.5" Dimensions:1 260 cm x 137.2 cm x 168.9 cm 102.4" × 54.0" × 66.5" (LxWxH) Net Weight:1 900 kg (1980 lbs) Shipping Weight:1 1240 kg (2730 lbs) 23 cm/s (45 ft/min) Conveyor Speed: Forward or Reverse Conveyor Height: 70.6 cm (27.8") from Floor Conveyor Capacity: 200 kg (441 lbs) Evenly Distributed Load

TECHNICAL

(WxH)

Wire Resolution: Steel Penetration:² 40 AWG Typical, 38 AWG Standard 39 mm Typical, 37 mm Standard

X-RAY GENERATOR & IMAGE PERFORMANCE

Windows® OS

Voltage: Tube Current: Cooling: Duty Cycle: Beam Direction: Detector:

180kV, Operating at 165kV 1.2 mA Sealed Di-Electric Oil Bath with Forced Air 100%, No Warm-Up Procedure Required **Diagonally Upward** 2176 Channels in an L-Shaped Array

Automatic Voltage Regulator (AVR), 600VA

Dual 19" Flat Panel Color Monitors

1280 x 1024: 24 Bit/Pixel Color

COMPUTER & VIDEO

Platform: Power Conditioner: Display Type: **Display Resolution:**

ENVIRONMENTAL

Operating Temperature: Storage Temperature: Humidity:

0°C - 40°C \ 32°F - 104°F -20°C - 60°C \ -4°F - 140°F Up to 95% Non-Condensing

ELECTRICAL

System Power:

sales@astrophysicsinc.com | www.astrophysicsinc.com

110VAC +/- 10%, 50/60Hz, 15 Amp Max 220VAC +/- 10% 50/60Hz, 10 Amp Max

HEALTH & SAFETY

Compliant with USFDA Center for Devices and Radiation Health Standards for Cabinet X-Ray Systems (21-CFR 1020.40) Typical radiation leakage is less than 0.1 mR/hr (Leakage less than 0.5 mR/hr permitted by U.S. Federal Standards)



¹Weight and dimensions of the system may vary depending on customization. ²As tested on Astrophysics Inc. Test Piece.

³Optional Features may affect lead time, price, and weight of product. Please contact your Astrophysics Sales Representative for more information

Due to continued product research and development, Astrophysics Inc. reserves the right to amend all technical specifications without prior notice.

Astrophysics HQ +1.909.598.5488

Astrophysics - DC +1.202.350.9740

Astrophysics - HOUSTON +1.713.357.5132

OPTIONAL FEATURES³

Barcode Scanning Density Alert Local Language Safe Passage® Computer Based Training Screener Assist Software Test Case Threat Image Projection (TIP) Software

STANDARD FEATURES

Color and Black/White Imaging

6 Color Imaging

Geometric Image

Picture Perfect

Pseudo Color

Distortion Correction

Reverse Monochrome

Material Discrimination

9 Quadrant Zoom

Continuous Scanning

Vertical Zoom Panning

Auto Image Archiving

Image Review

Save Image (RGB)

Image Annotation JPEG Conversion

Print Image Capable

Multi-Tier Accessibility

Real-Time Self Diagnostics

Network Ready

Baggage Counter

Continuous Zoom Up to 64x

High Penetration Function

Organic/Inorganic Imaging

Real-Time Image Manipulation

Atomic Z-Number Measurement

24" Flat Panel Monitor Custom Paint Entry/Exit Roller Tables Environmental Kit

Footmat Operator Interlock Heavy Duty Casters Sloped Conveyor

Mobility Kit **Radiation Meter** Remote Workstation Configuration

Uninterrupted Power Supply (UPS)





Astrophysics - EMEA +961.9.832.500/1/2

Astrophysics - INDIA +91.11.41709990

Astrophysics - ASIA +63.2.546.1741